

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

TRE Adjuvant: In Vivo CTL Induction
Specific Lysis of Ovalbumin Target Cells



PHARMACEUTICAL COMPOSITION
COMPRISING A POLYNUCLEOTIDE AND
OPTIONALLY AN ANTIGEN ESPECIALLY
FOR VACCINATION Wagner *et al.*
Docket No.: C1041.70005US01
Express Mail Label: EV292460788US

TRE Adjvant: In Vivo CTL Induction
 Specific Lysis in Lytic Units




Fig. 2





Fig. 3

CRE: In Vivo Cytokine Induction





Fig. 4

IL-2 Receptor Induction on T Cells



IL-2 Receptor Induction on B cells




Fig. 5

5/7




Fig. 6




Fig. 7